



SUMA SURFACE SANITISER SMARTDOSE

Revision: 2019-04-10

Version: 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: SUMA SURFACE SANITISER SMARTDOSE

1.2 Recommended use and restrictions on use

Identified uses:

Hard surface sanitiser

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

DIVERSEY NEW ZEALAND LTD.

24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand

Telephone: +64 9 813 9800; 0800 803 615 (toll free)

Fax: + 64 9 813 9801

Website: www.diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 0800 243 622 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

HSNO Classification

6.1E - Acutely toxic (oral)

6.3A - Irritating to the skin

8.3A - Corrosive to ocular tissue

9.1C - Harmful in the aquatic environment

9.3C - Harmful to terrestrial vertebrates

GHS Equivalent Classification

Acute toxicity, oral, Category 5

Skin irritation, Category 2

Serious eye damage, Category 1

Chronic aquatic toxicity, Category 3

Terrestrial vertebrates, Category 3

2.2 Label elements



Signal word: Danger

Hazard statements:

H303 - May be harmful if swallowed.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H401 - Toxic to aquatic life.

H433 - Harmful to terrestrial vertebrates.

Prevention statement(s):

P233 - Keep container tightly closed.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

SUMA SURFACE SANITISER SMARTDOSE

P332 + P313 - If skin irritation occurs: Get medical advice or attention.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P362 - Take off contaminated clothing.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

2.4 Classification diluted product:

Recommended maximum concentration (%): 0.44

HSNO Classification

Not classified as hazardous

Not classified as hazardous

SECTION 3: Composition/information on ingredients**3.1 Substances / Mixtures**

Ingredient(s)	CAS number	EC number	Weight percent
Alcohols, C12-15, ethoxylated	68131-39-5	[4]	3-10
sodium carbonate	497-19-8	207-838-8	1-3
quatarnary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides	68956-79-6	273-318-2	1-3
quatarnary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	68391-01-5	269-919-4	1-3
tetrasodium ethylene diamine tetraacetate	64-02-8	200-573-9	1-3

[4] Polymer.

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures**4.1 Description of first aid measures**

Inhalation:	Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
First aid facilities:	Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	Causes irritation.
Eye contact:	Causes severe or permanent damage.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

SUMA SURFACE SANITISER SMARTDOSE

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

None allocated

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Dilute with plenty of water. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls:

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls:

Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 166).

Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

SUMA SURFACE SANITISER SMARTDOSE

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 0.44

Appropriate engineering controls: Use only in well ventilated areas.

Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.

Hand protection: No special requirements under normal use conditions.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Method / remark
Physical State: Liquid	
Colour: Clear, Red	
Odour: Bland	
Odour threshold: Not applicable	
pH: ≈ 11.7 (neat)	ISO 4316
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	
Flammability (liquid): Not flammable.	
Flash point (°C): > 93	closed cup
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Evaporation rate: Not determined	Not relevant to classification of this product
Flammability (solid, gas): Not applicable to liquids	
Upper/lower flammability limit (%): Not determined	
Vapour pressure: Not determined	
Vapour density: Not determined	Not relevant to classification of this product
Relative density: ≈ 1.04 (20 °C)	OECD 109 (EU A.3)
Solubility in / Miscibility with Water: Fully miscible	
Partition coefficient: n-octanol/water No information available. Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3	
Autoignition temperature: Not determined	
Decomposition temperature: Not applicable.	
Viscosity: Not determined	
Explosive properties: Not explosive.	
Oxidising properties: Not oxidising	

9.2 Other information

Surface tension (N/m): Not determined

Corrosion to metals: Not corrosive

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

SUMA SURFACE SANITISER SMARTDOSE

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): 4600

ATE - Dermal (mg/kg): >5000

ATE - Inhalatory, mists (mg/l): >20

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
Alcohols, C12-15, ethoxylated	LD ₅₀	>300 - <=2000	Rat	Method not given	
sodium carbonate	LD ₅₀	2800	Rat	Method not given	
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides		No data available			
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	LD ₅₀	344	Rat	Method not given	
tetrasodium ethylene diamine tetraacetate	LD ₅₀	≥ 1780	Rat	Non guideline test	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
Alcohols, C12-15, ethoxylated	LD ₅₀	>300 - <=2000	Rabbit	Method not given	
sodium carbonate	LD ₅₀	> 2000	Rabbit	Method not given	
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides		No data available			
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	LD ₅₀	930	Rat	Method not given	
tetrasodium ethylene diamine tetraacetate	LD ₅₀	> 5000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Alcohols, C12-15, ethoxylated		No data available			
sodium carbonate	LC ₅₀	2.3 (dust)	Rat	OECD 403 (EU B.2)	2
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides		No data available			
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	LC ₅₀	0.054		Method not given	
tetrasodium ethylene diamine tetraacetate	LC ₅₀	≥ 1 (dust)	Rat	OECD 403 (EU B.2)	6

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Alcohols, C12-15, ethoxylated	Mild irritant			
sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides	No data available			
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	No data available			
tetrasodium ethylene diamine tetraacetate	Not irritant	Rabbit	Non guideline test	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Alcohols, C12-15, ethoxylated	Severe damage			
sodium carbonate	Irritant	Rabbit	Method not given	
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides	No data available			

SUMA SURFACE SANITISER SMARTDOSE

quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	No data available			
tetrasodium ethylene diamine tetraacetate	Severe damage		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Alcohols, C12-15, ethoxylated	No data available			
sodium carbonate	No data available			
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides	No data available			
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	No data available			
tetrasodium ethylene diamine tetraacetate	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
Alcohols, C12-15, ethoxylated	No data available			
sodium carbonate	Not sensitising		Method not given	
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides	No data available			
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	No data available			
tetrasodium ethylene diamine tetraacetate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
Alcohols, C12-15, ethoxylated	No data available			
sodium carbonate	No data available			
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides	No data available			
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	No data available			
tetrasodium ethylene diamine tetraacetate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
Alcohols, C12-15, ethoxylated	No data available		No data available	
sodium carbonate	No data available		No data available	
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides	No data available		No data available	
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	No evidence for genotoxicity, weight of evidence	Weight of evidence	No evidence for mutagenicity	Weight of evidence
tetrasodium ethylene diamine tetraacetate	No evidence for mutagenicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given

Carcinogenicity

Ingredient(s)	Effect
Alcohols, C12-15, ethoxylated	No data available
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides	No data available
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	No evidence for carcinogenicity, weight-of-evidence
tetrasodium ethylene diamine tetraacetate	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
Alcohols, C12-15, ethoxylated			No data available				
sodium carbonate			No data available				
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides			No data available				
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides			No data available				
tetrasodium ethylene diamine tetraacetate			No data available				No evidence for reproductive toxicity

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

SUMA SURFACE SANITISER SMARTDOSE

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Alcohols, C12-15, ethoxylated		No data available				
sodium carbonate		No data available				
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides		No data available				
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Alcohols, C12-15, ethoxylated		No data available				
sodium carbonate		No data available				
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides		No data available				
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Alcohols, C12-15, ethoxylated		No data available				
sodium carbonate		No data available				
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides		No data available				
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
Alcohols, C12-15, ethoxylated			No data available					
sodium carbonate			No data available					
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides			No data available					
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides			No data available					
tetrasodium ethylene diamine tetraacetate			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
Alcohols, C12-15, ethoxylated	No data available
sodium carbonate	No data available
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides	No data available
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	Not applicable
tetrasodium ethylene diamine tetraacetate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
Alcohols, C12-15, ethoxylated	No data available
sodium carbonate	No data available
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides	No data available
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	Not applicable
tetrasodium ethylene diamine tetraacetate	Respiratory tract

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density

SUMA SURFACE SANITISER SMARTDOSE

of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Alcohols, C12-15, ethoxylated	LC ₅₀	10	<i>Fish</i>	Method not given	
sodium carbonate	LC ₅₀	300	<i>Lepomis macrochirus</i>	Method not given	96
quatarnary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides		No data available			
quatarnary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides		No data available			
tetrasodium ethylene diamine tetraacetate	LC ₅₀	> 100	<i>Lepomis macrochirus</i>	OPP 72-1, static (EPA)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Alcohols, C12-15, ethoxylated	EC ₅₀	10		Method not given	
sodium carbonate	EC ₅₀	265	<i>Daphnia magna Straus</i>	Method not given	96
quatarnary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides		No data available			
quatarnary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides		No data available			
tetrasodium ethylene diamine tetraacetate	EC ₅₀	> 100	<i>Daphnia magna Straus</i>	DIN 38412, Part 11	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Alcohols, C12-15, ethoxylated	EC ₅₀	10		Method not given	
sodium carbonate		No data available			-
quatarnary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides		No data available			
quatarnary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides		No data available			
tetrasodium ethylene diamine tetraacetate	EC ₅₀	> 100	<i>Scenedesmus obliquus</i>	88/302/EEC, Part C, static	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
Alcohols, C12-15, ethoxylated		No data available			
sodium carbonate		No data available			-
quatarnary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides		No data available			
quatarnary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides		No data available			
tetrasodium ethylene diamine tetraacetate		No data available			-

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
Alcohols, C12-15, ethoxylated		No data available			
sodium carbonate		No data available			
quatarnary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides		No data available			
quatarnary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides		No data available			
tetrasodium ethylene diamine tetraacetate	EC ₂₀	> 500	<i>Activated</i>	OECD 209	0.5 hour(s)

SUMA SURFACE SANITISER SMARTDOSE

				sludge	
--	--	--	--	--------	--

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Alcohols, C12-15, ethoxylated	NOEC	> 0.1 - <= 1.0		Method not given		
sodium carbonate		No data available				
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides		No data available				
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides		No data available				
tetrasodium ethylene diamine tetraacetate	NOEC	≥ 36.9	<i>Brachydanio rerio</i>	OECD 210	35 day(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Alcohols, C12-15, ethoxylated	NOEC	> 0.1 - <= 1.0		Method not given		
sodium carbonate		No data available				
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides		No data available				
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides		No data available				
tetrasodium ethylene diamine tetraacetate	NOEC	25	<i>Daphnia magna</i>	OECD 211	21 day(s)	

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
Alcohols, C12-15, ethoxylated	EC ₅₀	No data available				
sodium carbonate		No data available			-	
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides		No data available				
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides		No data available				
tetrasodium ethylene diamine tetraacetate		No data available			-	

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available			-	
tetrasodium ethylene diamine tetraacetate	LD ₅₀	156	<i>Eisenia fetida</i>	OECD 207	14	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available			-	
tetrasodium ethylene diamine tetraacetate	NOEC	0.25 - 1.25			21	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available			-	
tetrasodium ethylene diamine tetraacetate		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available			-	
tetrasodium ethylene diamine tetraacetate		No data available			-	

SUMA SURFACE SANITISER SMARTDOSE

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available			-	
tetrasodium ethylene diamine tetraacetate		No data available			-	

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium carbonate	No data available		Rapidly hydrolysible	

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
Alcohols, C12-15, ethoxylated				OECD 301B	Readily biodegradable
sodium carbonate					Not applicable (inorganic substance)
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides					Not readily biodegradable.
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides				Method not given	Readily biodegradable
tetrasodium ethylene diamine tetraacetate					Not readily biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
Alcohols, C12-15, ethoxylated	No data available			
sodium carbonate	No data available		No bioaccumulation expected	
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides	No data available			
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	3.91	Method not given		
tetrasodium ethylene diamine tetraacetate	-13	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
Alcohols, C12-15, ethoxylated	No data available				
sodium carbonate	No data available			No bioaccumulation expected	
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides	No data available				
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	182.8		Method not given		
tetrasodium ethylene diamine tetraacetate	1.8	<i>Lepomis macrochirus</i>	Method not given	Low potential for bioaccumulation	

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
Alcohols, C12-15, ethoxylated	No data available				
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
quaternary ammonium compounds, C12-18-alkyl[(ethylphenyl)methyl]dimethyl, chlorides	No data available				
quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	No data available				

SUMA SURFACE SANITISER SMARTDOSE

tetrasodium ethylene diamine tetraacetate	No data available				Adsorption to solid soil phase is not expected
---	-------------------	--	--	--	--

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**ADG, IMO/IMDG, ICAO/IATA**

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Non-dangerous goods

Other relevant information:

Hazchem code: None allocated

This product has been classified, labelled and package in accordance with the requirements of the NZ Land Transport Rule: Dangerous Goods, ADG, and the provisions of the IMDG Code.

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR002530.

Group standard

Cleaning Products (Subsidiary Hazard) Group Standard 2017

Inventory Listing(s)

New Zealand: NZIoC (New Zealand Inventory of Chemicals)

All components are listed on the NZIoC inventory, or are exempt

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS32000590

Version: 01.0

Revision: 2019-04-10

- H410 - Very toxic to aquatic life with long lasting effects.
- H411 - Toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- DNEL - Derived No Effect Limit
- AUH - GHS Specific hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number
- OECD - Organization for Economic Cooperation and Development

End of Safety Data Sheet