

MATERIAL SAFETY DATA SHEETS

Sunlight Dishwashing Liquid Version: 3 Issued: 15th March 2018 Page 1 of 6

CLASSIFICATION OF MATERIAL

Classified as hazardous according to criteria of the Globally Harmonised System of Classification and Labelling of Chemicals 3rd Revised Edition.

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1	Product:	Sunlight Dishwashing Liquid
1.2	UN Proper Shipping Name:	None allocated
1.3	Recommended Use:	Dishwashing detergent.
1.4	Supplier:	Pental Products Pty Ltd
1.5	A.B.N:	68 103 213 467
1.6	Address:	48 Drummond Road, Shepparton, Victoria, 3630
1.7	Telephone Number:	(03) 5820 5200 (Australia).
1.8	Facsimile:	(03) 5820 5221 (Australia).
1.9	Emergency Telephone Numbers:	(03) 5820 5200 (Australia: Weekdays 8.00am to 5.00pm)
		Poisons Information Centre Australia: 13 1126
		Poisons Information Centre New Zealand: 0800 764 766

2. HAZARDS IDENTIFICATION

2.1 2.2 2.3 2.4	Hazard Classification: GHS Classification Hazard Statements: Prevention Statements:	 Hazardous Substance. Non-Dangerous Goods. Eye Irritation Category 2A H319 Causes serious eye irritation. P102 Keep out of reach of children. P103 Read label before use. P264 Wash hands thoroughly after handling. P280 Wear eye protection.
2.5 2.6	Response Statements: Storage Statements:	 P101 If medical advice is needed, have product container or label at hand. P305+P351+P338 IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. No storage statements.
2.7	Disposal Statements:	No disposal statements.

Sunlight Dishwashing Liquid

Version: 3 Issued: 15th March 2018

Page 2 of 6

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Proportion %
Water	7732-18-5	> 60
Anionic surfactants	9004-82-4, 68584-22-5	10 to 20
Urea	57-13-6	< 5
Sodium Hydroxide	1310-73-2	< 5
Sodium Chloride	7647-14-5	< 5
Fragrance	Proprietary	< 1
1,2-Benzoisothaizolin-3-one	2634-33-5	< 0.1
Colours	Proprietary	< 0.1

4. FIRST AID MEASURES

4.1 Description of Necessary First Aid Measures

-T · ·	Description of Necessary First Aid measures		
	Ingestion:	Do not induce vomiting. Immediately remove product from the mouth and wash out mouth with plenty of water. If symptoms develop, obtain medical attention.	
	Eye:	Immediately hold the eyes open and wash with fresh running water. Take care not to rinse contaminated water into non- affected eye. Ensure complete irrigation of the eye by keeping the eyelids apart and away from the eye and moving the eyelids by occasionally lifting the upper and lower lids. Remove contact lenses, if present and easy to remove. Continue rinsing. If symptoms persist, obtain medical attention.	
	Skin:	Wash skin thoroughly with plenty of water. Remove contaminated clothing and wash before re-use. If symptoms develop, obtain medical attention.	
	Inhalation:	Remove from source of exposure. Keep at rest until recovered. If symptoms persist, obtain medical attention.	
4.2	Medical Attention and Special Treatm	ent	
	First Aid Facilities:	An eye wash fountain, safety shower and general washing facility should be available immediately adjacent to the work area.	
	Comments:	Treat according to person's condition and specifics of exposure.	
	Advice to Doctor:	Treat symptomatically.	

5. FIRE FIGHTING MEASURES

5.1 5.2	Suitable Extinguishing Equipment: Specific Hazards Arising From The Chemical:	Use appropriate fire extinguisher for surrounding environment. This product is non-flammable. This material may decompose and produce toxic and/or irritating fumes under fire conditions.
5.3	Special Protective Equipment and Precautions For Fire Fighters:	Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire- exposed containers cool. Self-containing breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals.

Sunlight Dishwashing Liquid		Version: 3	Issued: 15 th March 2018	Page 3 of 6
6. AC	CIDENTAL RELEASE MEASURES	;		
6.1	Personal Precautions, Protective Equipment and Emergency Procedures:	the area according the area according to the spill site may unprotected	ntact. Determine whether to eva ording to your local emergency be slippery. Increase ventilation personnel. Use full protective cla minimise exposure.	olan. Caution, n. Evacuate all
6.2	Environmental Precautions:	of this materi regulatory au	off into drains and waterways. If al enters the environment, conta thorities. Dispose of waste acco and Local regulations.	act the relevant
6.3	Methods and Materials for Containment and Clean Up:	described in be pumped, s containers. C suitable abso or cleaning n may apply to	personal protective equipment re this MSDS. Contain spill. If leak store recovered material in appr clean up remaining materials fro orbent. Dispose of saturated abs naterials appropriately. Laws an releases and disposal of this m rmine which laws and regulation	ed material can opriate m spill with sorbent material d regulations aterial. You will
7. HA	NDLING AND STORAGE			

7.1	Precautions for Safe Handling:	Use in a well ventilated area. Avoid breathing in mists or vapour. Avoid skin and eye contact. Do not take internally. Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking, smoking or using toilet facilities.
7.2	Conditions for Safe Storage, Including Any Incompatibilities:	Store in a cool, dry, well ventilated area, away from heat and out of direct sunlight. Keep away from oxidising agents, strong acids and foodstuff containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 National Exposure Standards: No value is assigned for this specific material by the National Occupational Health and Safety Commission (Australia). However, the available exposure limits for the ingredient Sodium Hydroxide as listed in the "Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC: 1003 (1995)]" published by the National Occupational Health and Safety Commission (Australia) are as follows:

Ingredients	Exposure Limits
Sodium Hydroxide (CAS No. 1310-73-2)	Time Weighed Average (TWA): 2 mg/m³ (Peak limitation) and - ppm. Short Term Exposure Limit (STEL): - mg/m³ and - ppm.
Biological Limit Values:	No biological limit allocated.
Engineering Controls:	Ensure adequate ventilation. If mists or vapours are produced local exhaust ventilation should be used.

8.2 8.3

Sunlight Dishwashing Liquid		Version: 3	Issued: 15 th March 2018	Page 4 of 6
8.4	Personal Protective Equipment:			
	Respiratory:	normal caref breathing mi and mists or equipment s airborne con Australian St maintenance	antities require no special equip ul use. When handling bulk qua sts or vapours. Where ventilatio vapours are generated, respirat hould be used suitable for prote taminants. Reference should be andards: AS/NZS 1715 Selection of respiratory protective devices.	ntities. Avoid n is inadequate tory protective cting against made to on, use and
	Eye:	normal caref contact. Safe shield should	antities require no special equip ul use. When handling bulk qua ety glasses with side shields, go d be worn. Eye protection should 7 Eye protectors for industrial a	ntities. Avoid eye ggles or face d conform with
	Skin:	normal caref gloves of imp	antities require no special equip ul use. When handling bulk qua pervious material. Refer to AS/N I protective gloves – Selection u e.	ntities. Wear IZS 2161.1
		apron, where clothing show	priate clothing, including a chem e clothing is likely to be contamin uld conform to the specifications 9: Industrial Clothing.	nated. Industrial

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1	Physical Description / Properties	
	Appearance:	Clear yellow liquid.
	Odour:	Lemon fragrance
	pH:	5.0 – 6.5 (Neat)
	Viscosity (cP @ 25°C):	600 – 1100
	Vapor Pressure:	Not available
	Vapor Density:	Not available
	Boiling Point (ºC):	~ 100°C
	Freezing Point (°C):	Not available
	Melting Point (ºC):	Not available
	Solubility In Water:	Soluble
	Specific Gravity (@ 25°C):	~ 1.03
	Flash Point (ºC):	Not available
	Flammability	Non-flammable
	Lower Explosive Limit (%):	Not available
	Upper Explosive Limit (%):	Not available
	Autoignition Temp (ºC):	Not available
	Decomposition Temp (ºC):	Not available

MATERIAL SAFETY DATA SHEETS

Sunlight Dishwashing Liquid Version: 3 Issued: 15th March 2018 Page 5 of 6 **10. STABILITY AND REACTIVITY** 10.1 **Reactivity:** Hazardous polymerisation will not occur. 10.2 **Chemical Stability:** The product is stable under normal ambient conditions of temperature and pressure. **Conditions To Avoid:** 10.3 Extremes of temperature and direct sunlight. 10.4 Incompatible Materials and Strong oxidising agents, strong acids. **Possible Hazardous Reactions:** 10.5 **Hazardous Decomposition** Thermal decomposition may result in the release of toxic **Products:** and/or irritating fumes, including oxides of carbon, nitrogen and sulphur. **11. TOXICOLOGICAL INFORMATION** 11.1 Likely Route of Exposure: [] Inhalation [X] Skin contact [X] Ingestion 11.2 Health Effects From Likely Route of Exposure: Acute Ingestion: Low ingestion hazard in normal use. Considered an unlikely route of entry in commercial/industrial environments. Low toxicity. Large doses may result in nausea, vomiting and gastrointestinal irritation. Irritant. Direct contact may produce irritation to the eye causing Eye: lachrymation, inflammation, pain and redness. Repeated or prolonged exposure to irritants may produce corneal damage or conjunctivitis. No significant irritation expected from a single short-term exposure. Skin: Itching, redness and rash may occur in susceptible individuals. The material may accentuate pre-existing skin conditions. Inhalation of vapours may cause irritation of the nose, throat and Inhalation: respiratory system. Chronic Ingestion: Repeated ingestion or swallowing large amounts may injure internally. Skin: Prolonged or repeated skin contact may lead to dermatitis is some individuals. Inhalation: Chronic exposure by inhalation may aggravate existing respiratory disorders. No known applicable information. 11.3 Other Information:

12. ECOLOGICAL INFORMATION

12.1	Ecotoxicity:	Contains component which is toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.
12.2	Persistence and Degradability:	Inherently degradable, slow degradation resultant of limited bioavailability, the materials degrade rapidly when dissolved in water.
12.3	Bioaccumulation Potential:	No bioaccumulation potential.
12.4	Mobility in Soil:	No information available.
12.5	Other Adverse Effects:	No adverse effects on bacteria are predicted.

MATERIAL SAFETY DATA SHEETS

Sunlight Dishwashing Liquid Version: 3 Issued: 15th March 2018 Page 6 of 6 **13. DISPOSAL CONSIDERATIONS** 13.1 **Disposal Method:** Reclaim or dispose of in accordance with local and national regulations. 13.2 **Disposal of Contaminated** Empty container. Rinse container, remove or obliterate labelling before sending to landfill or recycler. Packaging 13.2 **Environmental Regulations:** Not applicable. **14. TRANSPORTATION INFORMATION** 14.1 **UN Number:** Not applicable 14.2 **UN Proper Shipping Name:** Not applicable 14.3 **Dangerous Goods Class:** Not applicable Packing Group: Not applicable **Environmental Hazards:** 14.4 Not applicable 14.5 **Special Precautions During** Not applicable Transport: 14.6 **HAZCHEM Code:** Not applicable **Additional Shipping Information:** Not applicable **15. REGULATORY INFORMATION**

15.1	SUSDP Poisons Schedule:	Not applicable.
15.2	Prohibition / Licensing Requirements:	There are no applicable prohibition or notification / licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.
15.3	Industrial Chemicals (Notification and Assessment) Act 1989:	All ingredients are listed on, or exempt from, the Australia Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

16.1	Issue Date:	15 th March 2018
16.2	Contact Points:	
	Title / Position:	Research & Development Manager
	Telephone:	(03) 5820 5204 (Australia: Weekdays 8.00am to 5.00pm)
	E-mail:	enquiries@pental.com.au
16.3	After Hours Emergency Medical Assistance:	Poisons Information Centre
	Telephone:	Australia: 13 1126
		New Zealand: 0800 764 766

Disclaimer:

This information is provided based on our current knowledge and is intended to describe the product for the purpose of health, safety and environment requirements only. Pental Products Pty Ltd makes no representation, guarantee or warranty, expressed or implied, as to the accuracy, reliability or completeness of the information and assumes no responsibility for injury, damage or loss resulting from the use of the material. Since Pental Products Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product.

This document is copyright. No part may be reproduced by any process without written permission from Pental Products Pty Ltd. ® indicates Registered Trademark.

DOCUMENT END